11



Design Review Board Staff Report

TO: DESIGN REVIEW BOARD

FROM: NATHAN WILLIAMS, PLANNER II

(480) 503-6805, NATHAN.WILLIAMS@GILBERTAZ.GOV

THROUGH: CATHERINE LORBEER, AICP, PRINCIPAL PLANNER

(480) 503-6016, CATHERINE.LORBEER@GILBERTAZ.GOV

MEETING DATE: FEBRUARY 13, 2014

SUBJECT: DR13-41, PUBLIC STORAGE FACILITY AT POWER

RANCH

STRATEGIC INITIATIVE: Community Livability

The project provides a new public storage facility for use of businesses and residences in the Power Ranch area.

REQUEST

DR13-41, Public Storage at Power Ranch: site plan, landscape plan, grading and drainage, building elevations, lighting, signage, colors and materials, located at the northwest corner of Power Road and Germann Road, zoned General Commercial (GC) with a Planned Area Development (PAD) overlay.

RECOMMENDED MOTION

Approve the Findings of Fact and DR13-41, Public Storage at Power Ranch: site plan, landscape plan, grading and drainage, building elevations, lighting, signage, colors and materials, located at the northwest corner of Power Road and Germann Road, zoned General Commercial (GC) with a Planned Area Development (PAD) overlay, subject to conditions.

APPLICANT/OWNER

Applicant RKAA Architects, Inc. **Owner** LDR-NEC Higley and Chandler Heights

Name Edgar Felix. Name Gary Davidson

Address 2233 E Thomas Rd. Address 1130 E. Missouri Ave,

Phoenix, AZ 85016 Phoenix, AZ 85016

Phone: 602-995-3900 **Phone**: 602-263-7626

E-mail efelix@rkaa.com

HISTORY

Date Action

January 21, 2003 Town Council approved Z02-21; adopting Ordinance No. 1450, an

amendment to the Power Ranch Master Plan to codify and clarify previously approved ordinances and the subject site zoned C-2 General Commercial

PAD overlay district.

March 3, 2005 The Town Council adopted the Land Development Code (LDC) by

approving Ordinance No. 1625. With the adoption of the LDC, the site was

zoned General Commercial (GC) PAD

BACKGROUND

The proposed public storage facility is located on a 5.15 acre vacant lot at the northwest corner of Power Road and Germann Road. The site is adjacent to the existing Offices at Power Ranch development directly to the north of the subject site. The Design Review Board previously approved DR13-29 for the Gilbert Public Storage in the Seville Commons. This proposal is of a very similar site design and building articulation from what was previously approved.

Surrounding Land Use & Zoning Designations:

	Existing Land Use Classification	Existing Zoning	Existing Use
North	General Commercial	General Commercial (GC) PAD	Existing Office Uses - Offices at Power Ranch
East	Power Road then Commercial Uses	Commercial (Mesa)	Power Road then existing Commercial uses within the City of Mesa
South	General Commercial	General Commercial (GC) PAD	Vacant Land
West	General Commercial	General Commercial (GC) PAD	Vacant Land
Onsite	General Commercial	General Commercial (GC) PAD	Vacant Land

Project Data Table

	Required (GC) per LDC	Proposed
Building Height:	45 ft. maximum	14'8" - 27'8" Building A/ Office Apartment; 12', 14' – 16' internal buildings; (All buildings are single story in height).
Lot Area	No maximum	5.15 ac. (224,292 sq. ft.)
Building Area:	No maximum	6 buildings (95,610 sq. ft.)
Build	25 ft. front;	45 ft. front;
Setback:	20 ft. rear	75 ft. rear
Lot Coverage:	N/A	42%
Landscaping:	15% (45,824 sq. ft.)	18% (37,800 sq. ft.)
Parking:	10 spaces	25 spaces; plus 2 bicycle spaces
Manager's Residence	1 Manager's Residence	1 Manager's Office/ Residence proposed (2,650 sq. ft.)

DISCUSSION

Site Plan

The site has frontage to the east and has access from a full motion driveway to Power Road on the southern portion of the subject site. Egress from the site is from a right out only onto Power Road on the northern portion of the subject site. Potential additional access could also be provided through the office condominium site to the north and through the currently undeveloped sites to the south as they develop.

A total of 6 buildings containing 95,610 sq. ft. are provided and range in area from 2,650 sq. ft. for the Manager's office and residence, to Building 'B' containing 60,700 of both conditioned and non-conditioned storage space. Most of the buildings are oriented east to west except for Buildings 'C' and 'A' and Manager's residence along the south side. The storage facility is completely contained within the approximate 12 - 14 ft. tall building walls where abutting the property lines, or by 6 - 8 ft. tall CMU or Wrought Iron fences around the perimeter of the site.

Sufficient vehicle stacking is provided in front of the storage facility gate for vehicles entering the site. A total of 25 parking spaces are shown at the entrance and inside the site. Sufficient maneuvering space is provided with drive aisles ranging from 27 to 34 ft. in width. Each of the buildings have externally accessed, roll-up doors except Building 'A', as well as portions of Building 'C,' which have internal hallways for accessing storage spaces. None of the roll-up access doors are visible from beyond the property site walls.

Landscaping

Landscaped open space areas are shown along all sides of the subject site to varying degrees with 37,808 sq. ft. (18%) of open space provided where 15% is required. Landscaping appears to be reasonable in these areas to screen the facilities from direct views from each side. Trees include

Desert Museum Palo Verde, Sisso, and Mondel Pine. The landscaping generally matches that used for the rest of the center and is suitable for the area.

The landscape plan provides perimeter landscaping on all four sides of the site as well as significant foundation landscaping on three sides as well as green screens on the backs of the proposed buildings 'C' and 'D'. Landscape islands are included at a minimum of one for every 8 spaces.

Grading and Drainage:

Site retention is primarily provided via an on-site retention basin located on the eastern and western portion of the site. The proposed Grading and Drainage Plan meets the Town's engineering requirements.

Elevations

Buildings A, B, C and D located on the property's boundaries contain long linear massing with 12-14 ft. tall parapet roofs, but also feature raised tower elements with pitched tile roofs, stucco walls, stone bases and some window areas, to afford some variation and interest for the site. Interior buildings contain 12 ft. tall split face and center score CMU walls with parapet roofs and 8 by 7 ft. roll-up doors for accessing storage spaces. The buildings along the east side of the site are directly visible from Power Road and contain the Manager's office and residence with a raised tower element. Building A utilizes a column supported tile covered roof and arcade feature with roof and recessed window area. Stucco finished walls and stack stone wainscot base add interest to the building. The buildings conform to the Commercial Design Guidelines for materials, styles and colors and are compatible with the rest of the center.

The applicant has provided both wall and monument sign details that demonstrate that the proposed signage will comply with Town requirements.

Colors and Materials:

The building's stucco finished walls contain Sherwin Williams Casablanca and Sand shades of tan, brown ICI Artesian Brown details colors. Tile roofs use Monimer Lifetime Marble Terra Cotta tile and stack stone used at the entrance area building wainscot and column bases is Cedar Limestone by Cultured Stone. Windows along the south elevation use clear storefront glazing in dark anodized aluminum frames. Public Storage's corporate colors of orange with yellow and purple trim are used as parapet roof caps, awning and roll-up door colors and although bright, are used mainly as accents and are not excessively used or a visual deterrent to the appearance of the commercial building.

Lighting

Parking lot lighting contains single and double head Lithonia DSXO 138 watt LED fixtures mounted on 20 ft. tall poles. Building mounted lighting includes Lithonia OLWP wall pack fixtures with 20 watt LED fixtures and mounted at 8 ft. at the interior of the site and 36 watt Kenall FS121 fixtures are shown at the entry gate and adjacent to the Manager's residence to provide sufficient lighting at the entrance. Lighting uses full cut-off fixtures with downward directed lamps that match the rest of the center. A photometric plan has been provided indicating that site lighting is reasonably subtle with light trespass at property lines generally not exceeding 0.3 foot-candles at the property line and conforming to Code requirements.

PUBLIC NOTIFICATION AND INPUT

An official notice was posted in all the required public places within the Town and neighborhood notice was provided per the requirements of the Land Development Code Article 5.205.

Staff has received no comment from the public.

STAFF RECOMMENDATIONS

Approval of the findings of fact and approval of DR13-41, Public Storage at Power Ranch: site plan, landscape plan, grading and drainage, building elevations, lighting, signage, colors and materials, located at the northwest corner of Power Road and Germann Road, zoned General Commercial (GC) with a Planned Area Development (PAD) overlay, subject to conditions;

- 1. Construction of the project shall conform to the exhibits approved by the Design Review Board at the February 13, 2014 public hearing.
- 2. The construction site plan documents shall incorporate the Standard Commercial and Industrial Site Plan Notes adopted by the Design Review Board on March 11, 2004.

Respectfully submitted,

Nathan Williams

Planner II

Attachments

- 1. Notice of Public Hearing
- 2. Aerial
- 3. Site Plan (3 pages)
- 4. Landscape Plan
- 5. Elevations (4 pages)
- 6. Floorplans (2 pages)
- 7. Preliminary Grading and Drainage Plan (3 pages)
- 8. Color Board
- 9. Lighting Plan

FINDINGS OF FACT

DR13-41 Public Storage Facility at Power Ranch, located at the northwest corner of Power Road and Germann Road

- 1. The project is consistent with the Commercial Design Guidelines;
- 2. The project conforms to the General Plan, and specifically to the Land Use, Community Design, and Environmental Planning Elements;
- 3. The project is consistent with all applicable provisions of the Zoning Code;
- 4. The project is compatible with adjacent and nearby regional commercial development; and
- 5. The project design provides for safe and efficient provision of public services.

DR13-41

Attachment 1: Notice of Public Hearing

February 13, 2014

Notice of Public Hearing

DESIGN REVIEW BOARD DATE:

Thursday February 13, 2014* TIME: 5:30 PM

LOCATION: Gilbert Municipal Center, Conference Room 300

50 E. Civic Center Drive Gilbert, Arizona 85296


* Call Planning Department to verify date and time: (480) 503-6700

REQUESTED ACTION:

DR13-41: Public Storage Facility at Power: Approval of site plan, landscape plan, grading and drainage, building elevations, lighting, signage, colors and materials for Public Storage Facility at Power, located on approximately 5.15 acres at the northwest corner of Power Road and Germann Road, zoned General Commercial (GC) with a Planned Area Development Overlay zoning district.

* The application is available for public review at the Town of Gilbert Development Services division Monday - Thursday 7 a.m. - 6 p.m.

SITE LOCATION:



APPLICANT: RKAA Architects, Inc.

CONTACT: Edgar Felix

ADDRESS: 2233 E. Thomas Rd.

Phoenix, AZ 85016

TELEPHONE: (602) 955-3900

FAX: (602) 955-0496 E-MAIL: efelix@rkaa.com

Maricopa County Accessor Parcel Map






AR C H I T E C T S I N C Z 323 EASTTHOMAS ROAD, PAGENY, ANGENY, ANGENY, ROBER STORE STORE

NOTE OF ALTHANT BLUES OF FAMILY CYCLE
THE SHARP OF BLUES OF STANKET CYCLE
THE SHARP OF BLUES OF BLUES OF STANKET CYCLE
THE SHARP OF BLUES OF BLUES OF STANKET CYCLE
THE SHARP OF BLUES OF BLUES OF STANKET CYCLE
THE SHARP OF BLUES OF BLUES OF STANKET CYCLE
THE SHARP OF BLUES OF BLUES OF BLUES OF STANKET CYCLE
THE SHARP OF BLUES OF BLUES OF BLUES OF STANKET CYCLE
THE SHARP OF BLUES OF BLUES

PUBLIC STORAGE - POWER

CONTRIONT ZOEM, LLLEGOTS ELECTED THE PROPERTY OF THE PROPERTY

SP-1
project #: 13153.5



PUBLIC STORAGE-POWER

NWC POWER AND GERMANN ROADS
GILBERT, ARIZONA

design by: EF drawn by: EF checked by: RWK

SP1.1

project #: 13153

WROUGHT IRON FENCE

8

ACCESSIBLE LEVER HARDWARE W/KEY LOCK AND SELF-CLOSING EGRESS HARDWARE

- 12"X12" SQUARE SECURITY PLATE AT HARDWARE ON SECURED SIDE OF GATI

(B) SECTION

SCALE: 1/2" = 1'-0

- FOR CUSTOMER GATE PROTECTION: PROVIDE EXPANDED METAL MESH OVER SLIDING GATE PANEL AND ADJACENT FENCING FOR THE LENGTH OF THE GATE PANEL.


ADJUSTABLE HEIGHT GATE OPERATOR BEAM DETECTORS

- OPERATOR STAND, MIN, HEIGHT OF 24

GUIDE POST TOP

SCALE: 1/4" = 1'-0'

(4) CONDUITS
- 110V
- GATE CONTROL TO OFFICE
- CONDUIT TO ENTRY KEYPAD
- CONDUIT TO EXIT KEYPAD




PUBLIC STORAGE-POWER

NWC POWER AND GERMANN ROADS

GILBERT, ARIZONA

design by: EF drawn by: EF checked by: RWK

SP1.2 project #: 13153



LANDSCAPE LEGEND

CERCIDIUM 'HYBRID DESERT MUSEUM 24" BOX (MATCHING) - 2



DALBERGIA SISSO SISSO TREE



PINUS FLDARICA MONDEL PINE 24" BOX - 17

- LEUCOPHYLLUM FRUTESCENS GREEN CLOUD SAGE 5 GALLON - 88
- CAESALPINIA MEXICANA MEXICAN BIRD OF PARADISE 5 GALLON - 40
- RUELLIA PENINSULARIS \oplus BA IA RUFIIIA 5 GALLON - 87
- DASYLIRION WHEELERII DESERT SPOON 5 GALLON - 68
- LANTANA MONTEVIDENSIS 'GOLD MOUND' 1 GALLON - 84
- MUHLENBERGIA 'REGAL MIST' REGAL MIST 1 GALLON - 67
- ACACIA REDOLENS 'DESERT CARPET' tm 1 GALLON - 47

DR13-41

February 13, 2014

Attachment 4: Landscape Plan

MATCH EXISTING DECOMPOSED GRANITE 2" DEPTH IN ALL AREAS

PODRANEA RISC. ON GREEN SCREEN PINK TRUMPET VINE 5 GALLON - 30

TOWN OF GILBERT LANDS.CAPE NOTES:

A TOWN OF GILBERT PERMIT IS REQUIRED FOR THE INSTALLATION OF ANY LANDSCAPE OR IRRIGATION, IRRIGATION LINES MUST BE INSPECTED BEFORE BACKFILLING. A CD CONTAINING "AS-BUILTS" ARE ALSO REQUIRED.

AS DOLLS ALLO ACED TO STATE OF SHALL BEFORE THE TOWN OF GILBERT WILL ACCEPT AN INSTALLED BACKFLOW DEVICE FOR APPROVAL, THE FOLLOWING MUST BE ACCOMPLISHED. THE DEVICE MUST BE TESTED BY A STATE CERTIFIED TESTER, AND THE RESULTS FORWARDED TO THE TOWN OF GILBERT WILL PROVIDE AN UP-TO-DATE LIST OF STATE CERTIFIED TESTERS, ALL RELATED TESTING FEES SHALL BE AT THE EXPENSE OF THE INSTALLER.

DESIGN OF ANY WALLS, ENTRY MONUMENT SIGNAGE OR RAMADAS THAT MAY BE PRESENTED HERIN HAVE BEEN REVIEWED AS CONCEPTUAL ONLY AND WILL REURE A SEPARATE REVIEW AND PERMIT FROM THE BUILDING DPARTMENT, IN NO CASE SHALL THE DEWPICTED WALLS, ENTRY MONUMENT SIGNAGE OR RAMADAS BE CONSIDERED FINAL. APPROVAL BY THE PLANNING DEPARMENT IS REQUIRED PRIOR TO A BUILDING PERMIT FOR SAID WALLS, ENTRY MONUMENTS AND REMADAS.

NO PLANT MATERIAL SHALL COME WITHIN 3 FEET OF HIRE HYDRANTS OR ANY FIRE DEPARTMENT EQUIPMENT.

NO PLANTING OR OBJECTS WITHIN THE TOWN OF GILBERT SIGHT VISIBILITY TRANGLES SHALL EXCEED 2 FEET. TREES SHALL HAVE A 7 FEET MINIMUM CLEAR

ALL TREES, SHRUBS AND GROUNDCOVERS SHALL MEET OR EXCEED ARIZONA NURSERY ASSOCIATION (ANA _SPECIFICATIONS.) CONSTRUCTION MAY BEGIN AFTER ALL PERMITS HAVE BEEN OBTAINED.

INSTALL ALL SIDEWALKS PER ADA REQUIREMENTS

AN AUTOMATIC IRRIGATION SYSTEM WILL BE INSTALLED GUARANTEEING 100% COVERAGE TO ALL NEW AND EXISTING LANDSCAPE AREAS. CAGE, CONTROLLER, ASSOCIATED EXPOSED CONDUITS, AND ETC. SHALL CONFORM TO PREDOMINANT COLOR OF BUILDING

LANDSCAPE CALCULATIONS:

37,808 SQ.FT "ON SITE" LANDSCAPE AREA 0 SQ.FT. "OFF SITE" LANDSCAPE AREA 37,808 SQ.FT. "TOTAL" LANDSCAPE AREA 209,121 SQ.FT. NET SITE AREA 18.0% LANDSCAPE AREA

ATTENTION:

THIS PLAN HAS BEEN REVIEWED FOR LANDSCAPE/IRRIGATION IMPROVEMENTS ONLY. A SEPARATE REVIEW AND PERMIT IS REQUIRED FOR STRUCTURES, ELECTRICAL, FENCES/WALLS, POOLS AND SIGNS. CONTACT THE BUILDING DEPARTMENT


CONSTRUCTION AND INSTALLATION SHALL BE IN ACCORDANCE WITH THESE PLANS AND ANY DEVIATIONS WILL REQUIRE REAPPROVAL. LANDSCAPE INSTALLATIONS SHALL BE APPROVED BY TOWN OF GILBERT INSPECTION SERVICES BEFORE A CERTIFICATE OF OCCUPANCY CAN BE ISSUED.

MAINTENANCE NOTE:

ALL LANDSCAPE AREAS AND MATERIALS SHALL BE MAINTAINED IN A HEALTHY, NEAT, CLEAN, WEED-FREE CONDITION. THIS SHALL BE THE RESPONSIBILITY OF THE PROPERTY OWNER.

ALL BACKFLOW PREVENTION DEVICES SHALL MEET THE REQUIREMENTS OF THE TOWN OF GILBERT BACKFLOW PROTECTION ORDINANCE (#869) OTHERWISE KNOWN AS ARTICLE 7-14 OT THE TOWN OF GILBERT MUNICIPAL CODE: CROSS CONNECTION CONTROL (FOR ADDITIONAL BACKFLOW SPECS., SEE: GILBERT UNIFIED LAND DEVELOPMENT CODE APPENDIX.

ALL BACKFLOW DEVICE SHALL BE TESTED BY A STATE CERTIFIED BACKFLOW TESTER AND TEST RESULTS FORWARDED TO THE TOWN OF GILBERT BACKFLOW SPECIALIST, THE TOWN WILL PROVIDE AN UP-TO-DATE LIST OF CERTIFIED TESTERS FROM WHICH TO BE SELECTED. TESTER FEES WILL BE AT THE EXPENSE OF THE INSTALLER.



T.J. McQUEEN & ASSOCIATES, INC. LANDSCAPE ARCHITECTURE

URBAN DESIGN SITE PLANNING 8433 East Cholla St., Suite 101

EMAIL: timmcqueen@timla.net T.J. MODIEEN & ASSOC, INC. LANDSCAPE ARCHTECTURE (TIMLA) EXPRESSLY RESERVES TRE COMMON LAW COPYRIGHT A OTHER PROPERTY RIGHTS IN THESE FANKS, THESE PLANK ARE MOT TO BE REPRODUCED, CHANGED OR COPIED IN COPIED IN MAY FORM OR MANUER HINATSCEVER, NOR ARE THEY TO BE ASSIGNED TO ANY THRO PARTY WITHOUT FIRST ORTANING THE EXPRESSED WITHER PERMISSION & COSEINST FROM TURK.

Architects And Associates, Inc.

DR13-41 **Attachment 5: Elevations (4 pages)** February 13, 2014

FINISH MATERIAL SCHEDULE

C SHERWIN WILLIAMS - "CASABLANCA"

D SHERWIN WILLIAMS - "SAND" E SHERWIN WILLIAMS - "SPANISH MOSS" F PUBLIC STORAGE 'ORANGE'

G PUBLIC STORAGE ' PURPLE'

H PUBLIC STORAGE 'YELLOW'

GALVANIZED METAL ROOF


K SPLIT FACE BLOCK

O METAL AWNING

L SMOOTH FACE BLOCK M STUCCO FINISH N METAL WALL PANEL

J CULTURED STONE "CEDAR LIMESTONE" CSV-2044





PUBLIC STORAGE


NWC POWER AND GERMANN ROADS
GILBERT, ARIZONA

A5.0











OFFICE/APARTMENT AND BUILDING 'A' NORTH ELEVATION





OFFICE/APARTMENT AND BUILDING 'A' WEST ELEVATION




SCALE: 1/4" = 1'-0" SCALE: NTS



 $\langle M \rangle$











OFFICE AND BUILDING 'A' KEY MAP SCALE: NTS




SCALE: NTS




SCALE: NTS

NORTH

A5.1 project #: 13153







BUILDING 'F' NORTH/SOUTH ELEVATION

SCALE: 1/8" = 1'-0"




N C 12'-0" T.O. PARAPET +10'-0" B.O. ROOF 0'-0" FINISH FLOOR F


BUILDING 'F' EAST ELEVATION

FINISH MATERIAL SCHEDULE

ALUMINUM STOREFRONT FRAME "BRONZE ANODIZED FINISH"	H PUBLIC STORAGE 'YELLOW'
B SHERWIN WILLIAMS - "COBBLESTONE"	STANDING SEAM METAL ROOF
C SHERWIN WILLIAMS - "CASABLANCA"	CULTURED STONE "CEDAR LIMESTONE" CSV-2044
D SHERWIN WILLIAMS - "SAND"	K CENTER SCORED BLOCK
E SHERWIN WILLIAMS - "SPANISH MOSS"	L SPLIT FACE BLOCK
F PUBLIC STORAGE 'ORANGE'	M STUCCO FINISH
G PUBLIC STORAGE ' PURPLE'	N METAL WALL PANEL

BUILDING 'F' WEST ELEVATION SCALE: 1/8" = 1'-0"






SCALE: NTS




PUBLIC STORAGE
NWC POWER AND GERMANN ROADS
GII BEPT ARTONA


DING 'E' ELEVATIONS DING 'F' ELEVATIONS

A5.3





DR13-41 Attachment 6: Floor Plans (2 pages) February 13, 2014



OFFICE/APARTMENT AND BUILDING 'A' FLOOR PLAN

NORTH

OVERALL KEY MAP
SCALE: NTS



COPPERED TABLE A LEGITS RESERVED.
PORTUGUE TABLE TO SERVE CARROLLER A MONITOR TABLE TABLE CARROLLER A MONITOR TABLE CARROL

PUBLIC STORAGE

NWC POWER AND GERMANN ROADS
GII BRET ARZONA

design by: EF drawn by: JA checked by: RWK

A1.0 project #: 13153







PUBLIC STORAGE NWC POWER AND GERMANN ROADS GILBERT, ARIZONA


A1.1

project #: 13153









BUILDING 'D' FLOOR PLAN



1									191'-4"							FID			1
																FIR	E RISER	<u>_</u>	ļ
10x10 10x10	10x20	10x20	10x20	10x20	10x20	10×20	10x20	10x20	10x20	5x5 5x10 10x10									
10x10 10x10	10x20	10x20	10x20	10x20	10x20	10x20	10x20	10x20	10x20	10x10 10x10	į								

BUILDING 'E' FLOOR PLAN

SCALE: 1/16" = 1'-0"




									191'-4"										*
																FIR	E RISER	\neg	
10x10 10x10 10x1	10x25	10x25	10x25	10x25	10x25	10x25	10x25	10x25	10x25	5x5 5x10 10x10 10x10									
10 10x10 5x10	10x20	10x20	10x20	10x20	10x20	10x20	10x20	10x20	10x20	10 10x10 5x10									

BUILDING 'F' FLOOR PLAN

SCALE: 1/16" = 1'-0"





Attachment 7: Preliminary Grading and Drainage Plan (3 pages) February 13, 2014

LEGAL DESCRIPTION

A PORTION OF THE SOUTHEAST QUARTER OF SECTION 1, TOWNSHIP 2 SOUTH, RANGE 6 EAST OF THE GILA AND SALT RIVER MERIDIAN, MARICOPA COUNTY, ARIZONA, MORE PARTICULARLY DESCRIBED AS FOLLOWS

COMMENCING AT THE BRASS CAP IN HAND HOLE AT SOUTHEAST CORNER OF SAID SECTION 1, FROM WHICH THE BRASS CAP IN HAND HOLE AT THE EAST QUARTER CORNER OF SAID SECTION 1 BEARS NORTH 00' 45' 37" WEST (BASIS OF BEARING PER AMENDED CONDOMINIUM PLAT - LOT 1, "THE OFFICES AT POWER RANCH", RECORDED IN BOOK 873, PAGE 36, MARICOPA COUNTY RECORDS), A DISTANCE OF 2630.06 FEET;

THENCE NORTH 00° 45' 37" WEST ALONG THE EAST LINE OF SAID SOUTHEAST QUARTER OF SECTION 1, A DISTANCE OF 1085.22 FEET;

THENCE DEPARTING PERPENDICULAR TO SAID EAST LINE, SOUTH 89° 14' 23" WEST, A DISTANCE OF 65.00 FEET TO THE SOUTHEAST CORNER OF SAID PLAT AND THE WEST RIGHT OF WAY LINE OF POWER ROAD AS SHOWN ON SAID PLAT, SAID POINT BEING THE POINT OF BEGINNING;

THENCE, SOUTH 00° 45' 37" EAST ALONG SAID WEST RIGHT OF WAY LINE, A DISTANCE OF 236.63 FEET AS DRAWN ON THE AUTOCAD SITE PLAN DRAWING PROVIDED BY ROBERT KUBICEK ARCHITECTS, INC., JOB NUMBER 13153.5 CALLED '13153.5 SP-1(08-07-13).DWG';

THENCE DEPARTING SAID RIGHT OF WAY LINE, SOUTH 89° 15' 06" WEST, A DISTANCE OF 298.23 FEET AS DRAWN ON SAID AUTOCAD SITE PLAN DRAWING;

THENCE SOUTH OO' 45' 37" EAST, A DISTANCE OF 187.37 FEET;

THENCE SOUTH 89° 15' 06" WEST, A DISTANCE OF 326.77 FEET;

THENCE NORTH 00° 45' 37" WEST, A DISTANCE OF 424.00 FEET TO THE SOUTHWEST CORNER OF SAID PLAT;

THENCE NORTH 89° 15' 06" EAST ALONG THE SOUTH LINE OF SAID PLAT, A DISTANCE OF 625.00 FEET TO THE POINT OF BEGINNING.

FLOOD ZONE

BY SCALED MAP LOCATION AND GRAPHIC PLOTTING ONLY, THE SUBJECT PROPERTY LIES ENTIRELY IN ZONE X-SHADED (AREAS OF 0.2% ANNUAL CHANCE FLOOD; AREAS OF 1% ANNUAL CHANCE FLOOD WITH AVERAGE DEPTHS OF LESS THAN 1 FOOT OR WITH DRAINAGE AREAS LESS THAN 1 SQUARE MILE; AND AREAS PROTECTED BY LEVEES FROM 1% ANNUAL CHANCE FLOOD.) ACCORDING TO THE FLOOD INSURANCE RATE MAP FOR THE COUNTY OF MARICOPA, COMMUNITY PANEL NO. 04013C 2690H, EFFECTIVE DATE SEPTEMBER 30, 2005.

RETENTION CALCULATIONS

VOLUME REQUIRED = DAC

- D = 0.25' 50 YEAR, 24 HOUR STORM A = DRAINAGE AREA (S.F.) C = WEIGHTED RUNOFF COEFFICIENT

WEIGHTED RUNOFF COEFFICIENT:

ROOF/CONCRETE (C=0.95) = 102,113 S.F. ASPHALT PAVEMENT (C=0.90) = 90,283 S.F.

DESERT LANDSCAPING (C=0.70) = 32,147 S.F. WEIGHTED C = (102,113*0.95 + 90,283*0.90 + 32,147*0.70)/224,543 = 0.89

AREA A: AREA = 188,882 S.F. HIGH WATER: 34.5 DEPTH: 3' VOL. REQUIRED: 42,026 C.F. + *4,938 C.F. FROM RETENTION BASIN B TOTAL VOL. REQUIRED = 46,964 C.F. VOL. PROVIDED: 47,574 C.F.

0

◉

0

0 Δ

AREA B: AREA = 35,661 S.F. HIGH WATER: 35.0 DEPTH: 2'
VOL. REQUIRED: 7,934 C.F.
VOL. PROVIDED: 2,996 C.F.
*4,938 C.F. TRAVELS INTO RETENTION BASIN A

PUBLIC STORAGE

NWC POWER ROAD AND GERMANN ROAD GILBERT, ARIZONA PRELIMINARY GRADING, DRAINAGE AND UTILITY PLAN

RITTENHOUSE ROAD

EXISTING OFFICE CONDOS

BUILDING B

BUILDING F

BUILDING E

LOCATED IN THE SOUTHEAST QUARTER OF SECTION 1, TOWNSHIP 2 NORTH, RANGE 6 EAST OF THE GILA AND SALT RIVER BASE AND MERIDIAN, MARICOPA COUNTY, ARIZONA,


EXISTING

CIRCLE K

BUILDING A

OFFICE -

FUTURE DEVELOPMENT.



VICINITY MAP SEC. 1, T. 2 N., R. 6 E.

ARCHITECT

ROBERT KUBICEK ARCHITECTS AND ASSOC., INC. 2233 E. THOMAS ROAD PHOENIX, ARIZONA 85016 PHONE: (602) 955-3900 CONTACT: ROBERT KUBICEK

OWNER

PUBLIC STORAGE 701 WESTERN AVENUE GLENDALE, CALIFORNIA 91201 PHONE: (818) 244-8080 CONTACT: KAREN CORMER-SOUTHARDS

ENGINEER

OPTIMUS CIVIL DESIGN GROUP 4650 EAST COTTON CENTER BLVD., SUITE 200 PHOENIX, ARIZONA 85034

DEVELOPER

VIVO PARTNERS 4650 EAST COTTON CENTER BLVD., PHOENIX, ARIZONA 85040 PHONE: (602) 393-9370

BENCHMARK

CONCRETE MONUMENT W/BRASS CAP AT THE INTERSECTION OF POWER ROAD ELEVATION = 1339.00' - NAVD88

BASIS OF BEARINGS

THE BASIS FOR ALL BEARING SHOWN HEREON IS THE CENTERLINE OF S. POWER ROAD, KNOWN AS BEING N. 00'45'37" W. PER AMENDED CONDOMINIUM PLAT – LOT 1, "OFFICE AT POWER RANCH" RECORDED IN BOOK 873, PAGE 36, M.C.R.

INDEX OF PLAN SHEETS

COVER SHEET

PRELIMINARY GRADING AND DRAINAGE PLAN

120 60 0 60 120 SCALE IN FEET: 1"=120'

KEY MAP

GERMANN ROAD

		LEG	END					
FOUND C.O.P. BRASS CAP IN HAND HOLE		EASEMENT LINE	•	EXISTING FIRE HYDRANT	Ø	EXISTING ELECTRIC METER	-	EXISTING FENCE
FOUND C.O.P. BRASS CAP FLUSH		PROPERTY LINE		EXISTING BACKFLOW PREVENTER	\rightarrow	EXISTING DOWN GUY WIRE	* TC XX.XX P XX.XX	EXISTING SPOT ELEVATION
UNLESS NOTED OTHERWISE		BOUNDARY LINE		EXISTING WATER METER	÷	EXISTING LIGHT POLE	-1425-	EXISTING CONTOUR & ELEVATION
FOUND MONUMENT AS NOTED	鹼	EXISTING CATCH BASIN	8	EXISTING WATER VALVE		EXISTING STORM DRAIN		PROPOSED RETAINING WALL
OFT 4 /OF DEDAR WITH OPTIMIS IS 74840		EXISTING STORM DRAIN MANHOLE		EXISTING COMMUNICATION MANHOLE	8	EXISTING SEWER MAIN		
SET 1/2" REBAR WITH OPTIMUS LS 31610 CAP UNLESS NOTED OTHERWISE		EXISTING SIGN			F0	EXISTING FIBER OPTIC		PROPOSED STORM DRAIN
SET NAIL AND LS 31610 TAG	(3)	EXISTING SANITARY SEWER MANHOLE		EXISTING UTILITY POLE	W	EXISTING WATER MAIN		PROPOSED CATCH BASIN
SEI MAIL AND LS STOTO TAG		EXISTING TRANSFORMER	×	EXISTING PULL/JUNCTION BOX			GB	- GRADE BREAK

GUTTER ELEVATION PAVEMENT FINISH GRADE ELEVATION GRATE ELEVATION

ROAD AND GERMANN ROAD, SECTION 1, T2S, R6E OF THE 3&SRM, MARICOPA COUNTY, AZ PUBLIC STORAGE COVER SHEET

GILBERT,


ġ.


POWER

₹ MC



DESIGNED: DRAWN AJF CHECKED: DATE: 1/17/14 13117 JOB NO.: DRAWING NO





RKAA

PUBLIC STORAGE

NWC POWER AND GERMANN ROADS

GILBERT, ARIZONA

PROJECT # 13153.50

MATERIAL BOARD



=														
=	Luminaire Schedule													
=	Symbol	Label	Quantity	Manufacturer	Catalog Number	Description	Lamp	Number Lamps	Filename	Lumens Per Lamp	Light Loss Factor	Wattage		
	_ 	SA	2		HS MVOLT SPA DDBXD / SSS 17.5'	DSX0 LED WITH (2) 20 LED LIGHT ENGINE, TYPE T4M OPTIC, 4000K, (8 1000mA WITH HOUSE SIDE SHIELD	LED	1	DSX0_LED_40C_1000_40K_T 4M_MVOLT_HS.ies	8622.303	0.9	138		
'		SC	105	Lithonia Lighting		OUTDOOR LED WALLPACK SMALL 4000K. TEMP 69.3C	LED - 1096 LUMENS / 4000K COLOR TEMP	1	OLWP_11.ies	1111.409	0.9	20.41		
		SD	11	Kenall	FS1218T 2TBV MPA BR 36L40K 1 120		LED - 3600 LUMENS / 4000K COLOR TEMP	2	FS1218Ries	1800	0.95	36		

| Statistics | Description | Symbol | Avg | Max | Min | MaxMin | AvgMin | AvgMax | A

NOTICE OF AUTHORITIES BEARED OR ADMINIST CHARGE TO THE CONTROL OF THE CONTROL OF

PUBLIC STORAGE - POWER
NWC POWER ROAD AND GERMANN ROAD



DR13-41 Attachment 9: Lighting Plan February 13, 2014

